



The way of eco-friendly cosmetic tube
PRODUCT BROCHURE

艾克威 做优质包装 +
ECOWAY PACKAGING

品质铸造品牌

Quality Creates Brand

扬州艾克威塑胶有限公司成立于2019年1月, 主营化妆品软管的设计研发, 生产和销售, 截止2019年底市区办公室销售团队人数合计10人, 还在不断发展壮大中。 公司坐落于扬州市邗江区京华城路 18号汇通大厦911。

我们有自己的工厂-江苏千升生物科技有限公司, 位于江都区大桥镇工业园区彩虹路12号。工厂正式从事化妆品软管的生产始于2017年底。 截止目前2019年底, 经过2年的发展和不断改进, 目前工厂设备包含2台拉管机, 6台注塑机, 4台胶印机, 2台贴膜旋盖机, 4台封尾机, 2台烫金机和2台丝印机。 厂房面积5000平米, 员工人数达50人, 月产量达到500万支软管。

公司秉承“客户第一, 团队合作, 诚信, 敬业, 激情, 奉献”的价值观, 踏实做事, 用心服务我们的广大客户, 为客户创造更大的价值, 为员工创造更多的就业机会和发展平台, 与供应商朋友们也建立了长期稳定、合作共赢的伙伴关系!

我们团队的优势在于:销售部的负责人有着10多年外贸出口经验, 带领一群年轻人, 他们有活力, 有执行力, 有团队凝聚力。 我们工厂生产的负责人也是有着15年以上的化妆品软管的从业经验, 并且整个生产管理人员都是从事软管行业至少10年以上。 我们非常了解我们的行业, 也很了解我们的产品, 虽然我们公司和工厂都很年轻, 但是我们不管在生产还是销售领域都已经深耕多年。 相信我们, 相信艾克威人, 相信千升人, 我们一定会做出让您满意的产品, 提供让您满意的服务!

Yangzhou Ecoway Cosmetic Packing Co.,Ltd was founded in Jan of 2019, we specialize in developing, designing, producing and selling cosmetic tubes. Our sales team have 10 members till end of 2019, still on developing. Our company is located in Room 911, Rmall Building, Jinghuacheng Road, Hanjiang district, city of Yangzhou, Jiangsu province.

We have a factory on my own, whose name is Jiangsu Qiansheng Bio-technology Company Limited. It is located in No. 12 Caihong Road, Daqiao industrial park, Jiangdu district, city of Yangzhou, Jiangsu province. Our factory have started cosmetic tubes manufacturer since end of 2017. After 2 years of development, we have 2 sets of extruding machines, 6 sets injecting machines, 4 sets printing machines, 2 sets foil sealing/assembling machines, 4 sets end sealing machines, 2 sets hot stamping machines and 2 sets silk screen machines. We have more than 5000 square meters workshop meanwhile more than 50 members of workers in our factory. And our production capacity is 5 million pieces tubes per month.

Ecoway has been adhering to corporate values of “customer first, teamwork, integrity, dedication, passion, and devotion”.Doing things practically, serving our customers attentively, creating greater value for customers, creating more employment opportunities and development platforms for employees, and establishing long-term stable, win-win partnerships with suppliers and friends!

The advantage of our team is that the person in charge of the sales department has more than 10 years of experience in foreign trade export and leads a group of young people who are energetic, executive and team cohesive. The person in charge of our factory production also has more than 15 years of experience in cosmetic tubes, and the entire production management staff has been engaged in the tube industry for at least 10 years. We know our industry and our products very well. Although our company and factory are very young, we have cultivated for many years in both production and sales. Believe us, believe in Ecoway people, believe in Qiansheng people. surely, we will make satisfied products to you and provide satisfied services to you.



YANGZHOU ECOWAY COSMETIC PACKING CO.,LTD. www.ecowaycosmetic.com

LIPGLOSS/LIPBALM SERIES

唇膏/唇彩系列



No: 16-359

No: 16-365

No: 16-300

EYE CREAM SERIES

眼霜系列



No: 16-134-1

No: 19-TB105

No: 16-579



No: 19-575

No: 19-508

No: 19-508



No: 19-575

No: 19-508

No: 19-508

PUMP HEAD SERIES

泵头系列



No: 19-400



No: 25-171



No: 25-155



No: 30-TB65



No: 30-531



No: 30-TB64



No: 25-310



No: 30-158



No: 30-174



No: 30-TB67



No: 35-TB69



No: 35-TB68

FLAT TUBE SERIES

扁管系列



FUNCTION TUBE SERIES-(ball & silicone brush)

功能管系列 -(滚珠头&硅胶刷头)





Ø16-按管径分类1

Classification According To Diameter



No: 16-TB95

No: 16-TB96

No: 16-TB97



No: 16-TB98

No: 16-TB99

No: 16-TB100

按管径分类2-Ø16

Classification According To Diameter



No: 16-TB101

No: 16-TB102

No: 16-TB103



No: 16-TB104

No: 16-TB125

Ø19-按管径分类1
Classification According To Diameter



No: 19-TB105

No: 19-TB106

No: 19-TB107



No: 19-TB108

No: 19-TB109

No: 19-TB110

按管径分类2-Ø19
Classification According To Diameter



No: 19-TB111

No: 19-TB112

No: 19-TB113



No: 19-TB114

No: 19-TB115

No: 19-TB116

Ø19-按管径分类3

Classification According To Diameter



No: 19-140

No: 19-534

No: 19-427



No: 19-431

No: 19-TB121

No: 19-TB122

按管径分类4-Ø19

Classification According To Diameter



No: 19-TB123

No: 19-TB124

No: 19-TB*3

Ø22-按管径分类1

Classification According To Diameter



No: 22-TB88

No: 22-TB89

No: 22-TB90

按管径分类2-Ø22

Classification According To Diameter



No: 22-TB94

No: 22-232

No: 22-405



No: 22-TB91

No: 22-TB92

No: 22-TB93



No: 22-TB*2

No: 22-TB*4

No: 22-TB*5

Ø25-按管径分类1
Classification According To Diameter



No. 25-TB70

No. 25-TB71

No. 25-TB72



No. 25-TB73

No. 25-TB74

No. 25-TB75

按管径分类2-Ø25
Classification According To Diameter



No. 25-TB76

No. 25-TB77

No. 25-TB78



No. 25-TB79

No. 25-TB80

No. 25-TB81

Ø25-按管径分类3
Classification According To Diameter



No: 25-TB82

No: 25-TB83

No: 25-TB84



No: 25-TB*6

No: 25-TB*1

按管径分类1-Ø30
Classification According To Diameter



No: 30-TB49

No: 30-TB60

No: 35-TB51



No: 30-TB52

No: 30-TB53

No: 30-TB54

Ø30-按管径分类2
Classification According To Diameter



按管径分类3-Ø30
Classification According To Diameter



Ø35-按管径分类1

Classification According To Diameter



No: 35-TB36

No: 35-TB37

No: 35-TB38



No: 35-TB39

No: 35-TB40

No: 35-TB41

按管径分类2-Ø35

Classification According To Diameter



No: 35-TB42

No: 35-TB43

No: 35-TB44



No: 35-TB45

No: 35-TB32

No: 35-TB47

Ø35-按管径分类3

Classification According To Diameter



No: 35-TB48

No: 35-TB37

No: 35-TB38

按管径分类1-Ø40

Classification According To Diameter



No: 40-TB22

No: 40-TB23

No: 40-TB24



No: 40-TB25

No: 40-TB26

No: 40-TB27



No: 40-TB25

No: 40-TB26

No: 40-TB27

Ø40-按管径分类2

Classification According To Diameter



按管径分类3-Ø40

Classification According To Diameter



Ø45-按管径分类
Classification According To Diameter



● No: 45-TB21

● No: 45-TB20

● No: 45-TB19



● No: 45-395

● No: 45-578

按管径分类1-Ø50
Classification According To Diameter



● No: 50-TB11

● No: 50-TB12

● No: 50-TB13



● No: 50-TB14

● No: 50-TB15

● No: 50-TB16

Ø50-按管径分类2

Classification According To Diameter



● No: 50-TB17

● No: 50-TB18

● No: 50-TB29



● No: 50-447

● No: 50-576


OFFICE ENVIRONMENT

扬州艾克威塑胶有限公司

YANGZHOU ECOWAY COSMETIC PACKING CO., LTD.

公司地址: 江苏省扬州市邗江区京华城路18号R-mall汇通大厦C座911室

Add: Room 911, Block C, R-mall Building, No. 18 Jinghuacheng Road, Yangzhou, Jiangsu, China





WORKSHOP ENVIRONMENT

江苏千升生物科技有限公司
JIANGSU QIANSHENG BIOTECHNOLOGY CO., LTD.

我们的工厂地址：江苏省扬州市江都区大桥镇彩虹路12号.

Our Factory Add: No.12 Caihong Road, DaQiao, JiangDu, Yangzhou, Jiangsu, China.

STEP 1

STEP 2

STEP 3

STEP 4

STEP 5

STEP 6

STEP 7

STEP 8

STEP 9

Aluminum Barrier Laminate Tube (ABL) Plastic Barrier Laminate Tube (PBL) 铝塑片材管

Silver Aluminum Sheet

CHARACTERISTICS

Containing aluminum foil, good barrier property and peel strength between the layers is good, have better flexibility and stiffness, fine surface printing design.

Korea 310 Silver Aluminum Sheet

CHARACTERISTICS

Containing aluminum foil, good barrier property and peel strength between the layers is good, have better flexibility and stiffness, fine surface printing design.

Printed Silver Aluminum Sheet

CHARACTERISTICS

Containing aluminum foil, good barrier property and peel strength between the layers is good, have better flexibility and stiffness, fine surface printing design.

360 Matte Silver Aluminum Sheet

CHARACTERISTICS

Containing aluminum foil, good barrier property and peel strength between the layers is good, have good stiffness, resilience is super good, the surface has some dumd light effect.

Silver Aluminum Sheet

CHARACTERISTICS

Containing aluminum foil, good barrier property and peel strength between the layers is good, have better flexibility and stiffness, fine surface printing design.

400VM PET Laminated Sheet

CHARACTERISTICS

The surface is exquisite, highlighting, has certain metallic luster, good flexibility, good resilience.

STEP 1

STEP 2


STEP 3

STEP 4

STEP 5

TUBE DIAMETER TUBE SHAPE & CAPACITY COMPARATIVE TABLE


管径管形对照表



管径 管身长度	D16	D19	D22	D25	D30	D35	D40	D45	D50
50mm	5g	5g							
80mm	10g	10g	20g	25g	40g	50g	60g	80g	100g
100mm		20g	25g	30g	50g	60g	80g	100g	120g
120mm		25g	30g	40g	60g	80g	100g	120g	150g
140mm					80g	100g	120g	140g	180g
160mm						120g	150g	180g	200g
180mm							180g	200g	250g
200mm									300g
220mm									320g

DRAWING REFERENCE

软管图纸参照表



PRODUCT MATERIAL AND PERFORMANCE INTRODUCTION

产品材质和性能介绍

结构 Formation PE TUBE	Single Layer Tube	2 Layer Tube	5 Layer Tube
性能 Function	一般 Normal	好 Good	好 Good
外观 Appearance	好 Good	好 Good	好 Good
使用范围 Field of application	适用于牙膏、食品、药品、化妆品等 Use for toothpaste, food, medicine, cosmetic etc.	适用于化妆品、食品等普通内容物 Use for normal cosmetic, food etc.	适用于化妆品、药品、牙膏、食品以及特殊功效的内容物的包装等 Use for cosmetic, medicine, toothpaste, food, and some special fluidpackaging.

ABOUT PRINTING
关于印刷

印刷类别 Printing category	印刷特点 Printing characteristics	相关产品展示 Related Products
柯式印刷 Offset printing	即“胶印”印刷色彩效果好，不易掉色，印刷质量好图色精准，多色可印刷复杂的图案，效率高、成本低。 That is, "offset printing" has good color effects, is not easy to fade, good printing quality, accurate color, multi-color can print complex patterns, high efficiency and low cost.	
丝网印刷 Silkscreen printing	印刷适应性强、立体感强、耐光性强印刷面积大。 Strong printing adaptability, strong three-dimensional sense, strong light resistance, large printing area.	

POST-PROCESSING
后加工工艺介绍

贴标 Labeling	提高产品的视觉效果，增强产品的防伪性能，而且有多种印刷形式可供选择。 Improve the visual effect of the product, enhance the anti-counterfeiting performance of the product, and have a variety of printing forms to choose from choose.	
烫印 Hots tamping	烫金、烫银、烫蓝、烫红等 Gold/ Silver/ Blue/ Red ect.	
封尾 End sealing	条形封尾、弧形封尾、其它形状 Strip sealing, arc sealing / other shape	
贴膜/旋盖 Foil Sealing & Assembling	铝箔/翻盖/旋盖 aluminum foil / flip top cap / screw cap	

艾克威微信公众号



Scan and get
more about ecoway

扫码 / 关注 / 分享

我们的使命： 我们致力于成为一家值得信赖的公司

我们的愿景： 让艾克威的产品遍布全世界

我们的价值观： 客户第一 团队合作 诚信 敬业 激情 奉献

Our mission: We are committed to being a trusted company.

Our vision: We can and we will do more, we are ecoway.

Our value: Customer First Teamwork Integrity Dedication
Passion Devotion.

公司地址: 江苏省扬州市京华城路18号R-mall汇通大厦C座 911室.

Add: Room 911, Block C, R-mall Building, No. 18
Jinghuacheng Road, Yangzhou, Jiangsu, China.

工厂地址: 江苏省扬州市江都区大桥镇彩虹路12号

Factory Add: No.12 Caihong Road, DaQiao,
JiangDu, Yangzhou, Jiangsu, China.

Tel: +86 151 5272 0559

E-mail: jason@ecoway.cn

Website: www.ecowaycosmetictube.com



扬州艾克威塑胶有限公司
Yangzhou Ecoway Cosmetic Packing.,ltd.